

Package: YPBP (via r-universe)

August 27, 2024

Title Yang and Prentice Model with Baseline Distribution Modeled by Bernstein Polynomials

Version 0.0.1

Description Semiparametric modeling of lifetime data with crossing survival curves via Yang and Prentice model with baseline hazard/odds modeled with Bernstein polynomials. Details about the model can be found in Demarqui et al. (2019) [arXiv:1910.04475](https://arxiv.org/abs/1910.04475). Model fitting can be carried out via both maximum likelihood and Bayesian approaches. The package also provides point and interval estimation for the crossing survival times.

License GPL (>= 2)

URL <https://github.com/fndemarqui/YPBP>

BugReports <https://github.com/fndemarqui/YPBP/issues>

Encoding UTF-8

LazyData true

Biarch true

Depends R (>= 3.4.0), survival

Imports Formula, MASS, methods, Rcpp (>= 0.12.0), rstan (>= 2.18.1), rstantools (>= 2.0.0)

LinkingTo BH (>= 1.66.0), Rcpp (>= 0.12.0), RcppEigen (>= 0.3.3.3.0), rstan (>= 2.18.1), StanHeaders (>= 2.18.0)

SystemRequirements GNU make

RoxygenNote 7.1.0

Suggests knitr, testthat

Repository <https://fndemarqui.r-universe.dev>

RemoteUrl <https://github.com/fndemarqui/ypbp>

RemoteRef HEAD

RemoteSha 2b517de6a4f19cdb9247c826e7dcc85ffe6a933

Contents

YPBP-package	2
coef.ypbp	3
confint	3
confint.ypbp	4
crossTime	4
crossTime.ypbp	5
gastric	6
ipass	7
model.matrix.ypbp	7
print.summary.ypbp	8
summary.ypbp	8
survfit.ypbp	9
vcov.ypbp	10
ypbp	10
Index	12

YPBP-package	<i>The 'YPBP' package.</i>
--------------	----------------------------

Description

Semiparametric modeling of lifetime data with crossing survival curves via Yang and Prentice model with baseline hazard/odds modeled with Bernstein polynomials. Details about the model can be found in Demarqui and Mayrink (2019) <arXiv:1910.04475>. Model fitting can be carried out via maximum likelihood or Bayesian approaches. The package also provides point and interval estimation for the crossing survival times.

References

- Demarqui, F. N. and Mayrink, V. D. (2019). An Unified Semiparametric Approach to Model Lifetime Data with Crossing Survival Curves. <arXiv:1910.04475>
- Yang, S. and Prentice, R. L. (2005). Semiparametric analysis of short-term and long-term hazard ratios with two-sample survival data. *Biometrika* 92, 1-17.
- Stan Development Team (2019). RStan: the R interface to Stan. R package version 2.19.2. <https://mc-stan.org>

coef.ybbp	<i>Estimated regression coefficients</i>
-----------	--

Description

This function returns the estimated regression coefficients when the maximum likelihood estimation approach is used in the model fitting.

Usage

```
## S3 method for class 'ybbp'  
coef(object, ...)
```

Arguments

object	an object of the class ybbp.
...	further arguments passed to or from other methods.

Value

the estimated regression coefficients.

Examples

```
fit <- ybbp(Surv(time, status)~arm, data=ipass)  
coef(fit)
```

confint	<i>Generic S3 method confint</i>
---------	----------------------------------

Description

Generic S3 method confint

Usage

```
confint(object, ...)
```

Arguments

object	a fitted model object
...	further arguments passed to or from other methods.

Value

the confidence intervals for the regression coefficients

confint.ybbp *Confidence intervals for the regression coefficients*

Description

This function returns the estimated confidence intervals for the regression coefficients when the maximum likelihood estimation approach is used in the model fitting.

Usage

```
## S3 method for class 'ybbp'
confint(object, level = 0.95, ...)
```

Arguments

object	an object of the class ybbp.
level	the confidence level required.
...	further arguments passed to or from other methods.

Value

A matrix (or vector) with columns giving lower and upper confidence limits for the regression coefficients. These will be labeled as $(1-\text{level})/2$ and $1 - (1-\text{level})/2$ in % (by default 2.5% and 97.5%).

Examples

```
fit <- ybbp(Surv(time, status)~arm, data=ipass)
confint(fit)
```

crossTime *Generic S3 method crossTime*

Description

Generic S3 method crossTime

Usage

```
crossTime(object, ...)
```

Arguments

object	a fitted model object
...	further arguments passed to or from other methods.

Value

the crossing survival time

crossTime.ypbp	<i>Computes the crossing survival times</i>
----------------	---

Description

Computes the crossing survival times along with their corresponding confidence/credible intervals.

Usage

```
## S3 method for class 'ypbp'
crossTime(object, newdata1, newdata2, conf.level = 0.95, nboot = 4000, ...)
```

Arguments

object	an object of class ypbp
newdata1	a data frame containing the first set of explanatory variables
newdata2	a data frame containing the second set of explanatory variables
conf.level	level of the confidence/credible intervals; default is conf.level = 0.95
nboot	number of bootstrap samples (default nboot=4000); ignored if approach="bayes".
...	further arguments passed to or from other methods.

Value

the crossing survival time

Examples

```
# ML approach:
library(YPBP)
mle <- ypbp(Surv(time, status)~arm, data=ipass, approach="mle")
summary(mle)
newdata1 <- data.frame(arm=0)
newdata2 <- data.frame(arm=1)
tcross <- crossTime(mle, newdata1, newdata2, nboot = 100)
tcross
ekm <- survival::survfit(Surv(time, status)~arm, data=ipass)
newdata <- data.frame(arm=0:1)
St <- survfit(mle, newdata)
plot(ekm, col=1:2)
with(St, lines(time, surv[[1]]))
with(St, lines(time, surv[[2]], col=2))
abline(v=tcross, col="blue")

# Bayesian approach:
```

```
bayes<-ypbp(Surv(time,status)~arm,data=ipass,approach="bayes",chains=2,iter=100)
summary(bayes)
newdata1 <- data.frame(arm=0)
newdata2 <- data.frame(arm=1)
tcross <- crossTime(bayes, newdata1, newdata2)
tcross
ekm <- survival::survfit(Surv(time, status)~arm, data=ipass)
newdata <- data.frame(arm=0:1)
St <- survfit(bayes, newdata)
plot(ekm, col=1:2)
with(St, lines(time, surv[[1]]))
with(St, lines(time, surv[[2]], col=2))
abline(v=tcross, col="blue")
```

gastric

Gastric cancer data set

Description

Data set from a clinical trial conducted by the Gastrointestinal Tumor Study Group (GTSG) in 1982. The data set refers to the survival times of patients with locally nonresectable gastric cancer. Patients were either treated with chemotherapy combined with radiation or chemotherapy alone.

Format

A data frame with 90 rows and 3 variables:

- time: survival times (in days)
- status: failure indicator (1 - failure; 0 - otherwise)
- trt: treatments (1 - chemotherapy + radiation; 0 - chemotherapy alone)

References

Gastrointestinal Tumor Study Group. (1982) A Comparison of Combination Chemotherapy and Combined Modality Therapy for Locally Advanced Gastric Carcinoma. *Cancer* 49:1771-7.

ipass

IRESSA Pan-Asia Study (IPASS) data set

Description

Reconstructed IPASS clinical trial data reported in Argyropoulos and Unruh (2015). Although reconstructed, this data set preserves all features exhibited in references with full access to the observations from this clinical trial. The data base is related to the period of March 2006 to April 2008. The main purpose of the study is to compare the drug gefitinib against carboplatin/paclitaxel doublet chemotherapy as first line treatment, in terms of progression free survival (in months), to be applied to selected non-small-cell lung cancer (NSCLC) patients.

Format

A data frame with 1217 rows and 3 variables:

- time: progression free survival (in months)
- status: failure indicator (1 - failure; 0 - otherwise)
- arm: (1 - gefitinib; 0 - carboplatin/paclitaxel doublet chemotherapy)

References

Argyropoulos, C. and Unruh, M. L. (2015). Analysis of time to event outcomes in randomized controlled trials by generalized additive models. PLOS One 10, 1-33.

model.matrix.ybbp

Model.matrix method for ybbp models

Description

Reconstruct the model matrix (or matrices if the alternative formulation of the YP model is used) for a ybbp model.

Usage

```
## S3 method for class 'ybbp'  
model.matrix(object, ...)
```

Arguments

object an object of the class ybbp.
... further arguments passed to or from other methods.

Value

The model matrix (or matrices) for the fit.

Examples

```
fit <- ypbp(Surv(time, status)~arm, data=ipass)
model.matrix(fit)
```

```
print.summary.ypbp      Print the summary.ypbp output
```

Description

Print the summary.ypbp output

Usage

```
## S3 method for class 'summary.ypbp'
print(x, ...)
```

Arguments

x an object of the class summary.ypbp.
... further arguments passed to or from other methods.

Value

a summary of the fitted model.

```
summary.ypbp          Summary for the ypbp model
```

Description

Summary for the ypbp model

Usage

```
## S3 method for class 'ypbp'
summary(object, ...)
```

Arguments

object an object of the class 'ypbp'.
... further arguments passed to or from other methods.

`survfit.ybbp`*survfit method for ybbp models*

Description

Computes the predicted survivor function for a ybbp model.

Usage

```
## S3 method for class 'ybbp'  
survfit(formula, newdata, ...)
```

Arguments

<code>formula</code>	an object of the class ybbp
<code>newdata</code>	a data frame containing the set of explanatory variables.
<code>...</code>	further arguments passed to or from other methods.

Value

a list containing the estimated survival probabilities.

Examples

```
# ML approach:  
library(YBBP)  
mle <- ybbp(Surv(time, status)~arm, data=ipass, approach="mle")  
summary(mle)  
ekm <- survival::survfit(Surv(time, status)~arm, data=ipass)  
newdata <- data.frame(arm=0:1)  
St <- survfit(mle, newdata)  
plot(ekm, col=1:2)  
with(St, lines(time, surv[[1]]))  
with(St, lines(time, surv[[2]], col=2))  
  
# Bayesian approach:  
bayes <- ybbp(Surv(time, status) ~ arm, data = ipass,  
              approach = "bayes", chains = 2, iter = 100)  
summary(bayes)  
ekm <- survival::survfit(Surv(time, status)~arm, data=ipass)  
newdata <- data.frame(arm=0:1)  
St <- survfit(bayes, newdata)  
plot(ekm, col=1:2)  
with(St, lines(time, surv[[1]]))  
with(St, lines(time, surv[[2]], col=2))
```

vcov.ypbp	<i>Variance-covariance matrix for a ypbp model</i>
-----------	--

Description

This function extracts and returns the variance-covariance matrix associated with the regression coefficients when the maximum likelihood estimation approach is used in the model fitting.

Usage

```
## S3 method for class 'ypbp'
vcov(object, ...)
```

Arguments

object	an object of the class ypbp.
...	further arguments passed to or from other methods.

Value

the variance-covariance matrix associated with the regression coefficients.

ypbp	<i>Fits the Yang and Prentice using Bernstein polynomials to model the baseline distribution.</i>
------	---

Description

Fits the Yang and Prentice model with either the baseline hazard hazard or the baseline odds modeled via Bernstein polynomials.

Usage

```
ypbp(
  formula,
  data,
  degree = NULL,
  tau = NULL,
  approach = c("mle", "bayes"),
  baseline = c("hazard", "odds"),
  hessian = TRUE,
  hyper_parms = list(h1_gamma = 0, h2_gamma = 4, mu_psi = 0, sigma_psi = 4, mu_phi = 0,
    sigma_phi = 4, mu_beta = 0, sigma_beta = 4),
  ...
)
```

Arguments

formula	an object of class "formula" (or one that can be coerced to that class): a symbolic description of the model to be fitted.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>ypbp</code> is called.
degree	number of intervals of the PE distribution. If NULL, default value (square root of n) is used.
tau	the maximum time of follow-up. If NULL, $\tau = \max(\text{time})$, where time is the vector of observed survival times.
approach	approach to be used to fit the model (mle: maximum likelihood; bayes: Bayesian approach).
baseline	baseline function to be modeled.
hessian	logical; If TRUE (default), the hessian matrix is returned when <code>approach="mle"</code> .
hyper_parms	a list containing the hyper-parameters of the prior distributions (when <code>approach = "bayes"</code>). If not specified, default values are used.
...	Arguments passed to either <code>'rstan::optimizing'</code> or <code>'rstan::sampling'</code> .

Value

`ypbp` returns an object of class "ypbp" containing the fitted model.

Examples

```
library(YBPB)
mle1 <- ypbp(Surv(time, status)~trt, data=gastric, baseline = "hazard")
mle2 <- ypbp(Surv(time, status)~trt, data=gastric, baseline = "odds")
bayes1 <- ypbp(Surv(time, status)~trt, data=gastric, baseline = "hazard",
              approach = "bayes", chains = 2, iter = 500)
bayes2 <- ypbp(Surv(time, status)~trt, data=gastric, baseline = "odds",
              approach = "bayes", chains = 2, iter = 500)
```

Index

* datasets

gastric, 6

ipass, 7

coef.ypbp, 3

confint, 3

confint.ypbp, 4

crossTime, 4

crossTime.ypbp, 5

gastric, 6

ipass, 7

model.matrix.ypbp, 7

print.summary.ypbp, 8

summary.ypbp, 8

survfit.ypbp, 9

vcov.ypbp, 10

YPBP (YPBP-package), 2

ypbp, 10

YPBP-package, 2